



CBGA CBDA Capsules

King Of Hemp
MME ID:
Ingestible, Capsule

Sample: DIGP2207.0774.I.05135


Sample Date: 07/08/2022 Report Date: 07/11/2022
METRC Sample:
Production Run #: 850010881539;

Potency Test Results

Cannabinoid Test Results

Terpene Test Results

Not Tested



0.069 mg/unit Total Potential THC	100.106 mg/unit Total Potential CBD
0.069 Total THC / 1 capsule THC/Unit	100.106 Total CBD / 1 capsule CBD/Unit

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

1 Unit = 1 capsule, 0.3074g

Analyte	LOQ %	Mass mg/unit	Mass %
THCa	0.0100	0.078	0.0255
Δ9-THC	0.0100	<LOQ	<LOQ
Δ8-THC	0.0100	<LOQ	<LOQ
THCV	0.0100	<LOQ	<LOQ
CBDa	0.0100	111.589	36.3010
CBD	0.0100	2.242	0.7295
CBDV	0.0100	0.149	0.0485
CBN	0.0100	<LOQ	<LOQ
CBGa	0.0100	55.297	17.9885
CBG	0.0100	11.624	3.7815
CBC	0.0100	0.232	0.0755
Total		181.212	58.9500

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Terpenes analyzed per Digipath Labs SOP-333 on an Agilent FID-GCMS or Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

Total Potential THC = (THCa * 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa * 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

Safety & Quality Tests

CANNABINOIDS LABELING SUGGESTION PER NAC 453A.508


THC/Unit	CBN/Unit	CBD/Unit
0.069 mg Total THC / 1 capsule	<LOQ mg CBN / 1 capsule	100.106 mg Total CBD / 1 capsule

Scan to View Results



Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Not Tested	Homogeneity	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested	pH	Not Tested

I certify that this sample has been tested by DigiPath Labs. All results are reported on AS-IS basis.



Criselda Sodir
Criselda Sodir
Scientific Director

All pass/fail limits are as specified in NCCR, NAC 453.A and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO-17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Measurement Uncertainty values have been determined for all methods and analytes.